

Phospho-TCTP (Ser46) Rabbit Polyclonal Antibody

Catalog #: EAB10591

| Host/Isotype | Clonality | Applications | MW (kDa) | Reactivity |
|--------------|------------|--------------|----------|-------------------|
| Rabbit IgG | Polyclonal | WB | 24 | Human, Mouse, Rat |

Applications Dilutions

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

WB(Western Blotting)

1:500-2000

Product Information

| Unconjugate | | |
|---|--|--|
| Phospho-TCTP (Ser46) Rabbit Polyclonal Antibody detects endogenous levels of TCTP protein only when phosphorylated at Ser46. | | |
| Affinity purification | | |
| 1mg/ml | | |
| Liquid | | |
| In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol | | |
| Gel Pack | | |
| Store at -20°C least 1 year from the date of shipment. Avoid repeated freeze/thaw cycles. Aliquots may be stored at +4°C for 1-2 weeks | | |
| <u>P13693</u> | | |
| <u>7178</u> | | |
| | | |

Product Description

This gene encodes a protein that is a regulator of cellular growth and proliferation. Its mRNA is highly structured and contains an oligopyrimidine tract (5'-TOP) in its 5' untranslated region that functions to repress its translation under quiescent conditions. The encoded protein is involved in a variety of cellular pathways, including apoptosis, protein synthesis and cell division. It binds to and stabilizes microtubules, and removal of this protein through phosphorylation is required for progression through mitotic and meiotic cell divisions. This gene is known to play a role in carcinogenesis, and is upregulated in some cancer cells. Alternative splicing results in multiple transcript variants encoding different isoforms.

For Reserch Use Only. Not For Use In Diagnostic Procedures

Add: Imperial Business Park 4819 Emperor Boulevard, Suite 408 Durham, NC 27703, USA