

Product Datasheet

Order: order@ebiocell.com

TEL: (540)808-3925 tech@ebiocell.com

Supprt: tech@ebiocell.com
Web: www.ebiocell.com

Phospho-C/EBPα (Thr226) Rabbit Polyclonal Antibody

Catalog #: EAB11531

Host/Isotype	Clonality	Applications	MW (kDa)	Reactivity
Rabbit IgG	Polyclonal	WB, ELISA	38	Human, Mouse, Rat, Monkey

Applications Dilutions

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

WB(Western Blotting) 1:500-2000 ELISA(Enzyme-linked Immunosorbent Assay) 1:5000-20000

Product Information

Conjugate Unconjugate

Specificity

Phospho-C/EΒΡα (Thr226) Rabbit Polyclonal Antibody detects endogenous levels of C/EΒΡα

only when phosphorylated at Thr226.

Purification Affinity purification

Concentration1mg/mlFormatLiquid

Formulation In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol

Shipping Gel Pack

Storage Storag

Aliquots may be stored at +4°C for 1-2 weeks

 UniProt ID
 P49715

 Entrez-Gene Id
 1050

Product Description

This intronless gene encodes a transcription factor that contains a basic leucine zipper (bZIP) domain and recognizes the CCAAT motif in the promoters of target genes. The encoded protein functions in homodimers and also heterodimers with CCAAT/enhancer-binding proteins beta and gamma. Activity of this protein can modulate the expression of genes involved in cell cycle regulation as well as in body weight homeostasis. Mutation of this gene is associated with acute myeloid leukemia. The use of alternative in-frame non-AUG (GUG) and AUG start codons results in protein isoforms with different lengths. Differential translation initiation is mediated by an out-of-frame, upstream open reading frame which is located between the GUG and the first AUG start codons.