

## **Product Datasheet**

Order:

Supprt:

Web:

order@ebiocell.com

www.ebiocell.com

TEL: (540)808-3925

tech@ebiocell.com

# Phospho-NFkB p65 (Ser468) Rabbit Polyclonal Antibody

Catalog #: EAB13015

| Host/Isotype | Clonality  | Applications             | MW (kDa) | Reactivity             |
|--------------|------------|--------------------------|----------|------------------------|
| Rabbit IgG   | Polyclonal | WB, IP, IHC-P, IF, ELISA | 60       | Human, Mouse, Rat, Pig |

## **Applications Dilutions**

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

| <b>WB</b> (Western Blotting)             | 1:500-2000   |
|--|--------------|
| IP(Immunoprecipitation)                  | 1:20-200     |
| IHC-P(Immunohistochemistry-Paraffin)     | 1:50-300     |
| IF(Immunofluorescence)                   | 1:50-300     |
| ELISA(Enzyme-linked Immunosorbent Assay) | 1:5000-20000 |

### **Product Information**

Conjugate Unconjugate

Phospho-NFkB p65 (Ser468) Rabbit Polyclonal Antibody detects endogenous levels of NFkB Specificity

p65 only when phosphorylated at Ser468.

**Purification** Affinity purification

Concentration 1mg/ml **Format** Liquid

**Formulation** In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol

Shipping

Store at -20°C least 1 year from the date of shipment. Avoid repeated freeze/thaw cycles. Storage

Aliquots may be stored at +4°C for 1-2 weeks

**UniProt ID** Q04206 **Entrez-Gene Id** 5970

#### **Product Description**

NF-kappa-B is a ubiquitous transcription factor involved in several biological processes. It is held in the cytoplasm in an inactive state by specific inhibitors. Upon degradation of the inhibitor, NF-kappa-B moves to the nucleus and activates transcription of specific genes. NFkappa-B is composed of NFKB1 or NFKB2 bound to either REL, RELA, or RELB. The most abundant form of NF-kappa-B is NFKB1 complexed with the product of this gene, RELA. Four transcript variants encoding different isoforms have been found for this gene.