

## Rb Rabbit Monoclonal Antibody

### Catalog #: EAB21482

| Host/Isotype | Clonality  | Applications          | MW (kDa) | Reactivity |
|--------------|------------|-----------------------|----------|------------|
| Rabbit IgG   | Monoclonal | WB, IP, IHC-P, IF/ICC | 106      | Human      |

### Applications Dilutions

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

|  |            |
|--|------------|
| <b>WB</b> (Western Blotting)                           | 1:500-2000 |
| <b>IP</b> (Immunoprecipitation)                        | 1:10-100   |
| <b>IHC-P</b> (Immunohistochemistry-Paraffin)           | 1:50-200   |
| <b>IF/ICC</b> (Immunofluorescence/Immunocytochemistry) | 1:50-200   |

### Product Information

|                       |   |
|-----------------------|---|
| <b>Conjugate</b>      | Unconjugate   |
| <b>Specificity</b>    | Rb Rabbit Monoclonal Antibody detects endogenous levels of Rb protein.  |
| <b>Purification</b>   | Affinity purification   |
| <b>Concentration</b>  | 1mg/ml  |
| <b>Format</b>         | Liquid  |
| <b>Formulation</b>    | In PBS, pH 7.4, Containing 0.02% sodium azide, 0.5% BSA and 50% Glycerol  |
| <b>Shipping</b>       | Gel Pack  |
| <b>Storage</b>        | Store at -20°C least 1 year from the date of shipment. Avoid repeated freeze/thaw cycles.<br>Aliquots may be stored at +4°C for 1-2 weeks |
| <b>UniProt ID</b>     | <a href="#">P06400</a>  |
| <b>Entrez-Gene Id</b> | <a href="#">5925</a>  |

### Product Description

The protein encoded by this gene is a negative regulator of the cell cycle and was the first tumor suppressor gene found. The encoded protein also stabilizes constitutive heterochromatin to maintain the overall chromatin structure. The active, hypophosphorylated form of the protein binds transcription factor E2F1. Defects in this gene are a cause of childhood cancer retinoblastoma (RB), bladder cancer, and osteogenic sarcoma.

**For Reserch Use Only. Not For Use In Diagnostic Procedures**